

Radiation Protection Products

**KIRAN**<sup>\*</sup>  
A Division of **TRIVITRON** Healthcare



Trust is what we deliver!

[www.kiranxray.com](http://www.kiranxray.com)

# About Trivitron Healthcare


By combining innovation with affordability and accessibility, we are a leading health technology enterprise that has been operating for more than two decades to improve health and medical care throughout the world, like no one else. We consider quality healthcare a fundamental right of people and envisage to make top-notch, cutting edge healthcare technology available for people of all classes.

We lay great emphasis on research and development. Our team includes internationally acclaimed experts and leading scientists who innovate unprecedented health technologies suitable for healthcare needs of today and tomorrow.

We provide technological advancements to hospitals, individual healthcare providers, independent clinics, extended care facilities and laboratories, catering to healthcare needs in multiple verticals like In-Vitro Diagnostics (IVD), Imaging & Radiology (In-vivo Diagnostics), Critical Care & OT Solutions, Newborn screening (NBS) and Radiation Protection Products.

Through a growing network of 1500+ employees, 1200+ channel partners and 15 world-class manufacturing units spread throughout the world, Trivitron Healthcare is reaffirming its commitment to offer superior health technologies in 180+ countries saving lives and improving care.

By simplifying and expanding our business, we are rapidly moving to establish ourselves as a global leader in health technology. We are committed to build a sustainable business that delivers value by offering best available health technology solutions for millions of people worldwide.



**15 Manufacturing and R&D Facilities in India, Finland, USA & Turkey**



**100+ Years of Combined Manufacturing Experience**



**Presence in 180 Countries**



# Kiran & You!

## A Story of Mutual Trust & Confidence

Kiran is one of the most respected global brands in the field of Radiology.

The Kiran Journey started in 1974 with our first set of customers who placed their complete trust and confidence in our Radiology products. At Kiran, we have continued to evolve and innovate with the hope of bringing the best technology to our valued customers. Over the past 4 decades, Kiran has become one of the leading solution providers in Medical Imaging, catering to customers in 180 countries across the world.



Kiran is driven by 3 Cardinal Business Principles



Innovation



Quality



Customer Service



Radiation Protection



Fixed Radiography



Mobile Radiography




Surgical C-Arm



Mammography



Ultrasound



Contrast Media



Imaging Accessories & Consumables

The Journey So Far



Kiran - committed to the field of Radiology  
catering to customers across 180 Countries



Manufacturing Facilities in  
Mumbai & Pune - India

# World-Class Radiation Protection Products

Adequate Protection against scatter radiation is of paramount importance for health care professionals working with Radiography, CT, Mammography, C-Arm and Cathlab Systems.

Exposure to a very high dose of radiation over a short period of time can produce acute effects such as redness of skin, hair loss, radiation burns, or even acute radiation syndrome. These are known as the Deterministic Effects of radiation exposure.

Exposure to low dose scatter radiation over an extended period of time may lead to a significant risk of long-term effects such as cancer, which may appear years or even decades later. These are known as the Stochastic Effects of radiation exposure.

It is important to protect medical professionals against the stochastic effects of radiation exposure. Because the effects of exposure is not immediately apparent, it is often ignored and procedures are performed every single day all across the world without optimum protection. The scatter radiation stealthily acts as a silent killer.

Kiran's offerings in radiation protection are the result of relentless R&D to offer you maximum protection & Comfort with adherence to Global Quality Standards and flexibility to customize the apron based on your requirements.

**Aprons | Shields | Gloves | Eyewear | Storage Systems | RadShield**



## Saving the Saviours!

Constant innovation in material science has helped Kiran develop some of the world's finest Radiation Protection products that offer the highest level of radiation attenuation are lightweight, ergonomic and aesthetically appealing.

Kiran offers a wide range of radiation protection products for Interventional Radiology, Cardiology procedures, CT procedures, Image Guided Surgery and General Radiology.

### Protection

Kiran's Radiation Protection products are a result of extensive R&D, innovation and are made with world-class core materials which offer maximum radiation attenuation that protects the healthcare providers from the damaging effects of ionizing radiation generated by X-ray systems, C-Arm systems, Cathlabs, Fluoroscopy Systems and CT.

### Comfort

Kiran's Radiation Protection products are ergonomically designed with the needs of surgeons, doctors and technicians in mind. Our aprons are lightweight and are offered in a wide range of designs that suits various clinical applications. Every aspect of the apparel is designed for comfort with Lightweight core material, Satin Touch Fabric, shoulder pads, belts etc ensure maximum comfort throughout the procedure and results in reduced fatigue to the Care providers.

### Elegance

Kiran's Radiation Protection products offer flexibility to customize the Radiation Protection Products based on your personal preferences and comfort requirements.

We offer a vast range of customization possibilities which allows you to get Kiran apron created exactly the way you want it.

#### Wide Range of Customization Options



Colors



Sizes



Name Tag



Embroidery



Belts



Closures

# KIRAN\*

## Functionality & Fashion



### Contents

Certifications

Core Materials

Aprons - Weight Chart

Satin Touch Fabric

Maxin Fabric

SpaceD Technology

Radiation Protection Aprons

Protective Shields

Protective Accessories

Radiation Protection Gloves

Eye Protection

Measurement

Article Code Guide

Page No

10 - 11

12 - 15

16 - 17

18 - 19

20 - 21

22 - 23

24 - 47

48 - 53

54 - 73

74 - 79

80 - 85

86 - 87

88 - 95

## Compliance to International Quality Standards

Our quality systems are assessed and certified as per the guidelines of ISO 9001:2015 and ISO 13485:2016.

Our Products conform to the stringent quality norms of CE, as specified by European Council's Medical Device Directive (MDD) contained in 93 / 42 / EEC, as well as Regulation(MDD) 2017/745 & also PPE Regulation (EU) 2016/425

NB no 0598.

Most of our Radiation Protection Products meet or exceed EN 61331-1:2014, EN 61331-1:2014, IEC 61331-1:2014, ASTM 2547, EN 388:2016, EN 420:2003+A1:2009, DIN & IS Standards. Our manufacturing facilities are registered with USFDA.



CE  
1639 0598



Health  
Canada



DIN EN  
Deutsches Institut für Normung

## ICMED

Kiran has been registered by Intertek as conforming to the requirements of ICMED 13485 (Indian Certification for Medical Devices Certification Scheme)



## R&D Facility

Kiran has its own R&D facility, approved by Department of Scientific and Industrial Research (DSIR), measuring 100 m<sup>2</sup> of Area.



## Our Testing Facilities

Kiran has its own state-of-the-art Radiographic Testing Centre where we test our products during research and development as well as in-process quality control and final testing before release for sale.



## The Secret Ingredients

World-Class Core materials have been the cardinal components of Kiran's Radiation Protection Products. The core materials are made possible through extensive research in particle engineering and cutting edge material science and offer maximum protection from ionizing radiation.

## Wide Range of Core Materials

### ZeroLead<sup>AIR</sup><sup>TM</sup>

The World's Finest

- 10% Lighter than Zerolead
- Micro Particle Bismuth & Antimony
- Ecofriendly Material
- Odour-Free Plasticizers
- Lesser Fatigue
- Ultimate Comfort
- Micro Particle Technology for better protection from scatter radiation

### ZeroLead<sup>®</sup>

An Eco-friendly Technological Breakthrough

- Extremely Light
- Bismuth & Antimony particles
- Ecofriendly Material
- Odour-Free Plasticizers
- Resistant to Humidity
- Lesser Fatigue
- Stability between -20° to +70° Centigrade

- Maximum protection against scattered radiation—a key health consideration
- Protection for the upper body and the sensitive thyroid gland at a lead equivalence of 0.50 mm Pb & 1.00 mm Pb
- Basic back protection required for use in CT Scans and Cath labs at a lead equivalence of 0.25 mm Pb
- Solutions for the varying needs of X-ray technicians, medical professionals, and patients

### ultralite<sup>TM</sup>

An Optimized Weight Sheeting

- Lighter than Leadlite
- Antimony & Lead particles
- Optimum Safety
- Odour-Free Plasticizers
- Resistant to Humidity
- Ergonomic Comfort
- Stability between -20° to +70° Centigrade

### LEADLITE<sup>®</sup>

The Industry Standard Re-defined

- Lightest Lead Material
- Purest & Finest Lead Particles
- Use of minimum Bonding & Mineral oils
- Odour-Free Plasticizers
- Resistant to Humidity
- Materials remain supple for several years
- Stability between -20° to +70° Centigrade

## Radiation Attenuation Data



**ZeroLead<sup>®</sup>**

**ultralite™**

**LEADLITE<sup>®</sup>**

		% Attenuation				
Protection at Various Voltages		0.25 mm	0.35 mm	0.50 mm	1.00 mm	
ZeroLead <sup>®</sup> AIR	Radiation Energy Beam Level	60 kV	97 %	99 %	100 %	≥100 %
		70 kV	94 %	98 %	99 %	100 %
		80 kV	91 %	96 %	98 %	100 %
		90 kV	88 %	94 %	96 %	99 %
		100 kV	85 %	92 %	95 %	99 %
		110 kV	82 %	90 %	93 %	99 %
		120 kV	80 %	88 %	92 %	98 %
		130 kV	78 %	86 %	91 %	97 %

		% Attenuation				
Protection at Various Voltages		0.25 mm	0.35 mm	0.50 mm	1.00 mm	
ZeroLead <sup>®</sup>	Radiation Energy Beam Level	60 kV	97 %	99 %	100 %	≥100 %
		70 kV	94 %	98 %	99 %	100 %
		80 kV	91 %	96 %	98 %	100 %
		90 kV	88 %	94 %	96 %	99 %
		100 kV	85 %	92 %	95 %	99 %
		110 kV	82 %	90 %	93 %	99 %
		120 kV	80 %	88 %	92 %	98 %
		130 kV	78 %	86 %	91 %	97 %

\*Uncertainty of Measurement: ±7 %

## Radiation Attenuation Data

Kiran's Products offers maximum Radiation Attenuation at broad-beam conditions according to ASTM 2547-18. The Lead Equivalence is determined using narrow as well as inverse broad-beam geometry according to EN 61331-1:2014 & EN 61331-3 : 2014 for the specified range - 50kV to 150kV

		% Attenuation				
Protection at Various Voltages		0.25 mm	0.35 mm	0.50 mm	1.00 mm	
ultralite™	Radiation Energy Beam Level	60 kV	97 %	99 %	100 %	≥100 %
		70 kV	94 %	98 %	99 %	100 %
		80 kV	91 %	96 %	98 %	100 %
		90 kV	88 %	93 %	96 %	99 %
		100 kV	85 %	91 %	95 %	99 %
		110 kV	83 %	90 %	94 %	99 %
		120 kV	81 %	88 %	93 %	98 %
		130 kV	79 %	86 %	91 %	99 %

		% Attenuation					
Protection at Various Voltages		0.25 mm	0.30 mm	0.35 mm	0.50 mm	1.00 mm	
LEADLITE <sup>®</sup>	Radiation Energy Beam Level	60 kV	97 %	98 %	99 %	100 %	≥100 %
		70 kV	95 %	97 %	98 %	99 %	100 %
		80 kV	92 %	94 %	96 %	97 %	100 %
		90 kV	88 %	92 %	94 %	96 %	99 %
		100 kV	86 %	90 %	92 %	95 %	99 %
		110 kV	85 %	88 %	91 %	94 %	99 %
		120 kV	84 %	87 %	91 %	94 %	99 %
		130 kV	82 %	87 %	90 %	93 %	99 %

## Aprons - Weight Chart

ZeroLead<sup>AIR</sup><sup>TM</sup> | ZeroLead<sup>®</sup> | ultralite<sup>™</sup> | LEADLITE<sup>®</sup>

**Double-Sided Apron - Maxima**

Size/Type	LE, mm Pb		Dimensions cm		Weight of Articles (kg)			
	Front	Back	W/G	L	ZeroLead <sup>AIR</sup> <sup>TM</sup>	ZeroLead <sup>®</sup>	ultralite <sup>™</sup>	LEADLITE <sup>®</sup>
L	0.5	0.25	60	100	5.87	6.52	6.73	7.16

**Double-Sided Apron - Optima**

Size/Type	LE, mm Pb		Dimensions cm		Weight of Articles (kg)			
	Front	Back	W/G	L	ZeroLead <sup>AIR</sup> <sup>TM</sup>	ZeroLead <sup>®</sup>	ultralite <sup>™</sup>	LEADLITE <sup>®</sup>
L	0.5	0.25	60	100	5.69	6.32	6.61	7.06

**Vest - Maxima**

Size/Type	LE, mm Pb		Dimensions cm		Weight of Articles (kg)			
	Front	Back	W/G	L	ZeroLead <sup>AIR</sup> <sup>TM</sup>	ZeroLead <sup>®</sup>	ultralite <sup>™</sup>	LEADLITE <sup>®</sup>
L	0.5	0.25	60	63	3.60	4.00	4.20	4.40

ZeroLead<sup>AIR</sup><sup>TM</sup> | ZeroLead<sup>®</sup> | ultralite<sup>™</sup> | LEADLITE<sup>®</sup>

**Skirt - Maxima/Optima**

Size/Type	LE, mm Pb		Dimensions cm		Weight of Articles (kg)			
	Front	Back	W/G	L	ZeroLead <sup>AIR</sup> <sup>TM</sup>	ZeroLead <sup>®</sup>	ultralite <sup>™</sup>	LEADLITE <sup>®</sup>
L	0.5	0.25	192	57	3.17	3.52	3.66	3.86

**Coat Apron**

Size/Type	LE, mm Pb		Dimensions cm		Weight of Articles (kg)			
	Front	Back	W/G	L	ZeroLead <sup>AIR</sup> <sup>TM</sup>	ZeroLead <sup>®</sup>	ultralite <sup>™</sup>	LEADLITE <sup>®</sup>
L	0.5	-	60	100	3.35	3.70	4.10	4.20


**Coat Apron with Attached Thyroid Collar**

Size/Type	LE, mm Pb		Dimensions cm		Weight of Articles (kg)			
	Front	Back	W/G	L	ZeroLead <sup>AIR</sup> <sup>TM</sup>	ZeroLead <sup>®</sup>	ultralite <sup>™</sup>	LEADLITE <sup>®</sup>
L	0.5	-	60	100	4.14	4.50	4.90	5.20


# Satin touch

Smooth • Comfortable • Hygienic

Satin Touch includes a range of fabric that are infused with silver nanoparticles which impart antimicrobial properties to the fabric thereby preventing microbial growth. This advanced material provides all the benefits, while offering a super smooth satin feel, making it extremely comfortable to wear over long durations.



## Wide Range of Color Options



Beige



Bordeaux Red



Cloud Grey



Electric Blue



Jet Black



Navy Blue



Lilac



Pink



Tangerine



Mauve



Ocean Green




Royal Blue


## Standard Color Combinations




Beige - Ocean Green




Bordeaux Red - Cloud Grey



Cloud Grey - Tangerine



Electric Blue - Lilac



Jet Black - Bordeaux Red



Royal Blue - Ocean Green



Lilac - Electric Blue



Pink - Lilac



Tangerine - Cloud Grey



Mauve - Pink



Ocean Green - Cloud Grey



Beige - Mauve

\*Additional color combinations available upon request

# Maxin Fabric


EXPERIENCE  
THE LIGHTEST

## RADIATION PROTECTION APPAREL

-  • Water Repellent
-  • Superior Insulation
-  • Absorption + Moisture Control
-  • Polyester Base
-  • Protective Knit



"Maxin" Fabric which includes range of fabric that is Versatile & lightweight enhanced by PU coating for higher resistance to UV. Increased with stronger strength, and pliability which impart antimicrobial properties to the fabric thereby preventing microbial growth. This advanced material provides all the benefit to the user, while offering Ultra Durable & Feather Soft feel, making it extremely comfortable to wear over long durations.



## Wide Range of Color Options:






## Space Technology now for Medical Professionals

### The Zenith of Radiation Protection

- Absorbs, stores & releases heat for optimal thermal comfort
- Helps maintain a comfortable, balanced body temperature
- Absorbs excess body heat to prevent sweating
- Anti-microbial with silver nano particles



### How SpaceD Technology Works




One of Kiran's most unique offering is its temperature regulating inner fabric with SpaceD technology is the only phase change material that carries the Certified Space Technology seal of approval. SpaceD fabric keeps the temperature at optimal levels with not too hot...not too cold....**Just Right.**






## RADIATION PROTECTION APRONS



## Double Sided Apron - Optima



### Protection Area



### - Fabric Type -

**Satin touch**  
Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON

### Ideal For

1. Cathlabs
2. Interventional Surgical Procedures
  - Interventional Radiology
  - Interventional Cardiology
  - Interventional Urology

### Lead Equivalence

Front Protection

0.50 mm Pb

0.35 mm Pb

Back Protection

0.25 mm Pb

ZeroLead<sup>AIR</sup>™

ZeroLead®

ultralite™

LEADLITE®

### Customization Options



Extra Belt outside  
(to reduce Back  
& Shoulder stress)



Name Tag



Embroidery  
(in Pockets)


### Accessories



Thyroid Shield



## Protection Area



## - Fabric Type -

**Satin touch**

Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON

## Ideal For

1. Cathlabs
2. Interventional Surgical Procedures
  - Interventional Radiology
  - Interventional Cardiology
  - Interventional Urology

## Lead Equivalence

Front Protection

0.50 mm Pb

0.35 mm Pb

Back Protection

0.25 mm Pb

ZeroLead<sup>AIR</sup>™

ZeroLead®

ultralite™

LEADLITE®

## Customization Options



Name Tag



Embroidery  
(in Pockets)


## Accessories



Thyroid Shield  
(Attachable Loop)



## Protection Area



## - Fabric Type -

**Satin touch**  
Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON

## Ideal For

1. Cathlabs
2. Interventional Surgical Procedures  
Interventional Radiology  
Interventional Cardiology  
Interventional Urology

## Lead Equivalence

Front Protection

0.50 mm Pb

0.35 mm Pb

Back Protection

0.25 mm Pb



## Customization Options



Name Tag



Embroidery (in Pockets)



Thyroid Shield (Attachable Loop)



Anti-skid Shoulder Pads to reduce stress & for equal weight distribution

4 inch Velcro closure for a Snug Fit

Pockets Included

Snap lock for proper fixation


Front Opening for ease of wearing



Vest Overlaps the skirt for sufficient length to ensure protection during movements like Bending forward

Skirt Design for Free Movement

## Protection Area



### - Fabric Type -

**Satin touch**  
Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON

### Ideal For

1. Cathlabs
2. Interventional Surgical Procedures  
Interventional Radiology  
Interventional Cardiology  
Interventional Urology

## Lead Equivalence

Front Protection

0.50 mm Pb

0.35 mm Pb

Back Protection

0.25 mm Pb

ZeroLead<sup>AIR</sup>™

ZeroLead®

ultralite™

LEADLITE®

## Customization Options



Name Tag




Embroidery (in Pockets)



Thyroid Shield (Attachable Loop)



## Protection Area



## - Fabric Type -

**Satin touch**  
Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON

## Ideal For

- Interventional Radiology Procedures

## Lead Equivalence

## Front Protection

0.50 mm Pb

0.35 mm Pb

0.25 mm Pb



**LEADLITE®**

**ZeroLead<sup>AIR</sup>™**

**ZeroLead®**

**ultralite™**

## Customization Options



Name Tag




Embroidery  
(in Pockets)



Thyroid Shield  
(Stitched & Integrated)



### Protection Area



### - Fabric Type -

**Satin touch**  
Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON



### Lead Equivalence

#### Front Protection

0.50 mm Pb

0.35 mm Pb

0.25 mm Pb

ZeroLead<sup>AIR</sup>™

ZeroLead®

ultralite™

LEADLITE®

### Customization Options



Name Tag



Embroidery  
(in Pockets)



Thyroid Shield  
(Stitched & Integrated)

Anti-skid Shoulder Pads to reduce stress & for equal weight distribution

Pockets Included


Velcro Closure for Enhanced Fit

Complete frontal protection



Also available Flex Back  
(Elastic belt provides lumbar support & improved fit)

## Protection Area



## - Fabric Type -

**Satin touch**  
Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON

## Ideal For

- Interventional Radiology Procedures

## Lead Equivalence

### Front Protection

0.50 mm Pb

0.35 mm Pb

0.25 mm Pb

ZeroLead<sup>AIR</sup>™

ZeroLead®

ultralite™

LEADLITE®

## Customization Options



Name Tag




Embroidery  
(in Pockets)



Thyroid Shield  
(Stitched & Integrated)



## Protection Area



### - Fabric Type -

**Satin touch**  
Smooth • Comfortable • Hygienic

**Maxin Fabric**

**SPACEED**  
CERTIFIED SPACE TECH APRON

### Ideal For

- Fluoroscopy Equipment
- Interventional Radiology Procedures

Available in Tangerine & Royal Blue Color Combination

## Lead Equivalence

### Front Protection

0.50 mm Pb

0.35 mm Pb

0.25 mm Pb

**LEADLITE®**

## Customization Options



Name Tag



Embroidery  
(in Pockets)

## Dental Aprons

Designed for complete protection while being X-Rayed on a dentist's chair

The apron drapes comfortably over patient, covering sensitive areas from exposure to scatter radiation during radiography.

Both Adult & Child sizes are available

Available with thyroid collar attached option (Velcro / Magnetic Closure)



## Lead Equivalence

0.35 mm Pb

0.50 mm Pb


Model	Dimensions			
	Adult		Child	
	L cm	W cm	L cm	W cm
Economy	70	60	60	40
Standard	80	60	60	45
Premium	90	60	70	45

## Panoramic Apron

### Economy

Optimum protection during Panoramic Radiography

Split in back with Velcro closure for adjustable fit



### Standard

Complete Front Protection, Optimum Back protection

Split in back

Available with Velcro/ Magnetic Lock



## Lead Equivalence

0.25 mm Pb

0.35 mm Pb

0.50 mm Pb

**Premium**

Extended & Equal protection  
on both front & back

Velcro closure on shoulder



Model	Dimensions			
	Adult		Child	
	L cm	W cm	L cm	W cm
Economy	35	60	-	-
Standard (Front)	80	55	-	-
Premium (Front & Back)	80	60	60	45

**Lead Equivalence**

0.35 mm Pb

0.50 mm Pb

**Technician Apron**

- Provides protection to the dental staff during radiography.
- Adjustable strap and buckle for more secure, ergonomically superior fit



Model	Dimensions	
	Adult	
	L cm	W cm
Standard	100	60
Premium	110	70

**Lead Equivalence**

0.35 mm Pb

0.50 mm Pb



Coat Apron

Front Protection

0.50 mm Pb

0.35 mm Pb

Back Protection

0.25 mm Pb

Coat Apron with Thyroid



Dental Apron

Front Protection

0.30 mm Pb


0.35 mm Pb

0.50 mm Pb

Dental Apron with Thyroid



## PROTECTIVE SHIELDS



Kiran's wide range of thyroid shields provide complete protection to the neck and sternum from ionizing Radiations.

### Ultraslimline

Ergonomic design for comfort



### Classic



All-time popular design

Wide Coverage Area

One size fits all

Velcro Closure

### Elegant



Easy to attach with Kiran's Double Sided Apron & Vest

Adjustable fastener

Velcro Closure

### Slimline



Provides perfect fit and protection

Easy to attach with all the apron variants

Velcro Closure

Also available with Magnetic Closure

### Harmony



Collar design which perfectly fits thyroid gland

Velcro Closure

Easy to attach with all the Apron variants

Velcro/Magnetic Closure

### Lead Equivalence

0.50 mm Pb

0.35 mm Pb

**Head Shield**

Designed for ease of  
wearing and removal

The head and ears stay safe,  
inside head gear, from radiations



Also Available  
Disposable Head Shield

**Optima**

Flexible & Supple

**Maxima**

Complete protection from  
scattered radiation

**Lead Equivalence**

0.25 mm Pb

0.35 mm Pb


0.50 mm Pb

1.00 mm Pb

**Gonad Shield**

Ideal to protect the male  
reproductive organ

Designed for ease of wearing &  
removal with adjustable Velcro Panel



Available in one-size-fits-all  
& child size

Lead Equivalence  
0.50 mm Pb, 1.00 mm Pb

**Ovarian Shield**

Designed for ease of wear &  
removal with adjustable Velcro Panel

Ideal to protect the female  
reproductive organ


Available in one-size-fits-all  
& child size



Lead Equivalence  
1.00 mm Pb



## PROTECTIVE ACCESSORIES



## Arm Guard

Kiran Arm guard offers protection to the upper part of the body from scattered radiation.

- Prevents radiation from being scattered to the shoulders and arms
- Can be attached with hook-and-loop fasteners and a snap
- Can be paired with wrap around styles apron and vest
- Can be used in all radiology procedures
- One size fits all



## Leg Guard

Kiran Leg guard offers complete protection to the lower part of the body from scattered radiation.

- Protects the Leg from radiation exposure
- Velcro Closure for easy adjustments
- One size fits all



## Lead Equivalence

0.50 mm Pb

0.35 mm Pb

## Patient Apron

Patient apron is apron used for protection of patient from direct /scattered radiation while getting examined under X-Ray table.

- Universal use as gonad and ovarian shields
- Complete lower body protection
- Designed to provide comfort and adequate protection
- Adjustable back strap for snug fit
- Child Size Available

## Dimension

30×30 cm, 40×40 cm, 50×50 cm

## Patient Apron (without belt)



## Customization



Available with  
Ring Attached

## CT Breast Shield

Designed to protect the sensitive breast area and reduce cancer risk due to large radiation doses during CT.

Today, cancer is affecting younger population of women, with the highest risk being to women under the age of 35. CT scans and similar doses of radiation increases cancer risk, making it essential to conduct research on new radiation protection methods.

Kiran applied its expertise in radiation protection to develop the breast shield that is used in plane breast shielding to reduce cancer risk.



Offers 67% protection to the sensitive tissue of the breast



Eco-Friendly




Helps prevents breast cancer



Disposable



Available with a foam pad for comfort



## CT Pediatric Shield

Designed to protect infants and children from radiation doses emitted during CT scans, without any compromising to image quality.

Infants are ten times more susceptible to carcinogenesis caused by radiation exposure than adults.

Kiran's Pediatric shield designed to protect infants and children from radiation doses emitted during CT scans, without any compromise to image quality.



Offers 67% protection to the sensitive tissue of the breast



Eco-Friendly



Helps prevents breast cancer



Disposable



Available with a foam pad for comfort



## CT Eye Shield

Designed to protect the eye, which becomes especially sensitive to radiation after repeated CT procedures.



70% protection to the complete eye



Perfect fit to prevent accidental exposure to radiation



Disposable




Design to mould to the eye's shape



One Size fits all



Eco-Friendly



## CT Thyroid Shield

Designed to provide special protection to sensitive thyroid gland.



Offers 65% protection to thyroid gland



Prevents tissue damage




Disposable



One Size fits all



Eco-Friendly




Attenuation tests performed in accordance with EN 61331-1:2014

With the concerns of Interventional Specialists in mind, Kiran has designed RadShield which is an inevitable solution to minimize the Cumulative Career exposure. These shields are placed on the patient's body and positioned to block scattered radiation in all Cath Lab procedures.

### The Rad Shield Solution


- Placed on patient to protect physician from X-ray scatter radiation and provides sterile surgical barrier to the patient
- Made from proprietary mix of several lead-free elements
- Helps in preventing cancer risks and radiation damage
- Designed to allow physician to conduct surgery without any hindrance
- Used for general & interventional procedures
- 100% sterilized with the latest ethyl oxide radiation sterilization
- Single Use and easy to dispose



Equivalence (mm Pb)	Type	Minimum Attenuation @90 kVp
0.125	LOW (L)	75.3%
0.250	MEDIUM (M)	90.8%
0.350	HIGH (H)	95.3%

Attenuation tests performed in accordance with IEC 61331-1:2014 & ASTM F 2547

### Health Hazards faced by Interventionists



### Deterministic Effects

- Exposure to large dose of radiation for a short period of time
- Eg. Skin Erythema, Hair loss, Radiation burns and Acute Radiation Syndrome
- Eg. nausea, vomiting and dizziness


### Stochastic Effects

- Prolonged exposure to low dose scattered radiation with the disease manifesting after years or even decades
- Eg. Cancer, Bone-marrow damage, Genetic mutation

Every time an Interventional Cardiologists walks out of the Operation Room, the morale of the patients and relatives go up. So does the cumulative radiation exposure the specialist has acquired right from beginning of their career.

In a Career spanning 30 years, Interventional cardiologists, radiologists and technicians are exposed to more ionizing radiations than physicians in any other specialized medical field.

- A Cumulative Career Radiation Exposure for Surgeons is 108 mSv and 45 mSv for Technicians /Nurse.
- According to BEIR VII (Biological Effects of Ionising Radiation Committee VII), the total cancer incidence receiving 2 mSv/y from 18 to 65 years of age should be 1 in 136



For Angiography

For EP

For Dialysis

Multipurpose


## Scattered Radiation

In the case of Scattered Radiation , the X-Rays are specifically focused on a single target, the x-rays will still scatter and those scattered rays can continue to scatter around the room based on various design features.


Scatter radiation. The bulk of this type of radiation derives from the X-rays bouncing off the patient's body.

Back scatter. This type of scatter radiation is created from behind the film and directed back towards the X-ray tube.

Side scatter. Side scatter is caused by objects in the immediate areas, such as walls, floors and tables. To mitigate side scatter, you may have noticed that X-ray rooms are typically void of other objects and the table is located in the center of the space.



## Typical Scatter Radiation Exposure Levels



### RadShield (Medium)

**0.250 mm Pb**

Sample Designation	Minimum Attenuation			
	80 kVp	90 kVp	100 kVp	120 kVp
Radshield High Batch No: 25025082016	93.3%	90.6%	87.0%	81.2%

Sample Designation	Lead Equivalency (mm Pb)*			
	80 kVp	90 kVp	100 kVp	120 kVp
Radshield High Batch No: 25025082016	0.27	0.27	0.26	0.24

## Scattered Radiation

### RadShield (High)

**0.350 mm Pb**

Sample Designation	Minimum Attenuation			
	80 kVp	90 kVp	100 kVp	120 kVp

Radshield High  
Batch No: 35025082016      97.2%      95.4%      92.7%      89.4%

### RadShield (Low)

**0.125 mm Pb**

Sample Designation	Minimum Attenuation			
	80 kVp	90 kVp	100 kVp	120 kVp

Radshield High  
Batch No: 12525082016      81.2%      78.1%      71.5%      64.0%

Sample Designation	Lead Equivalency (mm Pb)*			
	80 kVp	90 kVp	100 kVp	120 kVp

Radshield High  
Batch No: 35025082016      0.36      0.41      0.38      0.36

Sample Designation	Lead Equivalency (mm Pb)*			
	80 kVp	90 kVp	100 kVp	120 kVp

Radshield High  
Batch No: 12525082016      0.13      0.14      0.13      0.12


\*Uncertainty of Measurement: ±4%

## Adjustable Mobile Shield

Put the protection where you need it, at any height

Ideal for patients undergoing standing diagnostic procedures, the Adjustable Mobile Shield can be set between 36" and 60" high

It is easy to move in any direction



## Lead Curtain

Lead Curtain which block the scattered radiations. Lead Curtain are useful in fluoroscopy suites, emergency rooms, hospitals, industrial radiography locations, and where low-level or secondary radiation is present

## Table Shield

Table Shield offers maximum protection from under table scattered radiation. The design allows the shield to be instantly used on either side of the X-ray table with the pivotal arm always facing the head end

The upper shield is detachable and can be removed in the event of a patient emergency. The Table Shield can be easily adjusted for both left- or right-hand side applications



## Lead Curtain

The protective blankets – which is for shielding patient and equipments



### Color

Available in royal blue color & Customizable

### Dimension

Customizable

### Lead Equivalence

0.50 mm Pb  
1.00 mm Pb

### Color

Available in royal blue color & Customizable

### Dimension

Customizable

### Lead Equivalence



0.50 mm Pb  
1.00 mm Pb

## Table Drapes

Table Drapes is a lower shield which protect the patient body from scattered radiation

Hook and-loop fastener attachments make these drapes a breeze to attach to any style table setup

Available in the single-sided option, or double the protection with the double-sided drapes design



### Color

Available in royal blue color & Customizable

### Dimension

Customizable

### Lead Equivalence

0.50 mm Pb  
1.00 mm Pb

## Apron Hanger


Coated Steel Hanger for use with adult and child X-ray aprons

Composed of Low Carbon Steel, Poly Urethane Plastic Blue Caps and Toggle Bolts

### Dimension

3.2 cm (W) X 38 cm (L) X 3.5 cm (H)

Part Name	Material	Quantity
Hanger	Low Carbon Steel	1
Blue Cap	Poly Urethane Plastic	4
Toggle Bolt	As Mentioned Below	3



## Mobile Storage System with Hangers

A Compact, Space saving and easy to install unit for storing apparels, gloves and shields




Mobile Storage System

- 10 Hangers
- 2 Glove Holders

Mobile Storage System

- 5 Hangers
- 2 Glove Holders



## Available Models

10 Hangers & 2 Glove Holders


Stores upto 10 Pairs of apparels

5 Hangers & 1 Glove Holder

Stores upto 5 Pairs of apparels

## Wall Mounted Racks


A Compact, Space saving and easy to install Wall Racks for storing apparels, gloves & shields.



### Available Models


Wall racks with 1,2,3 & 5 Hanger options

Hooks are available for fixing on a wall racks




One hanger wall rack (left to right)

- Stores the apparel closest to the wall
- Available with one swivel hanger




Two hanger wall rack (left to right)

- Wall bracket flush on the left or right for storing two apparels
- Optimum use of available space




Three hanger wall rack (left to right)

- Wall bracket flush on the left or right for storing three apparels
- Optimum use of available space




Five hanger wall rack (left to right)

- Wall bracket flush on the left or right for storing five apparels
- Optimum use of available space




Wall mounted Glove holder

- Wall mounted glove holder for storing gloves
- Optimum use of available space



## RADIATION PROTECTION GLOVES

Protection | Grip | Comfort



## Reusable Lead Gloves

Made of soft, pliable material, Kiran gloves are non-sterile, protective, comfortable, and usable.



**Lead Equivalent thickness in mm Pb**

0.50



**Lead Equivalent thickness in mm Pb**

0.25 / 0.35 / 0.50

## Duo

Our dual-layered gloves have a seamless external covering and an internal lining, all of which can be dismantled and cleaned.

Measured with narrow as well as inverse broad beam geometry condition at 150 KVp, in accordance with EN 61331-1:2014 & EN 61331-3-2014

### Ideal For

Proper positioning in Veterinary & Pediatric X-Ray

## Mittens

Mittens, one of our bestsellers, allows wearers the mobility of using their bare hands directly in beam field, thanks to protective mitten design and snug internal strap.

Measured with narrow as well as inverse broad beam geometry condition at 150 KVp, in accordance with EN 61331-1:2014 & EN 61331-3-2014

### Ideal For

Technicians hand protection during intervention cardiology procedures

**Available Size**

**Length of the glove in cm**

**Half circumference of the glove on cuff/palm in cm**

**Half circumference of the hand of the user in cm**

Kiran offers a wide range of sterile Lead-Free and disposable radiation protection gloves that provide the highest possible protection in Surgical procedures and are easy to dispose in an eco-friendly manner

Produced at our independent sterilization facility, each glove is subjected to rigorous contamination control and is 100% sterilized using the latest gamma sterilization equipment and complies with International quality standards.



## Cathlab Pro

Ideal for use in Interventional Cardiology Procedures



## Max

Ideal for use in Fluoscopy / Orthopaedic / Urology Procedures



## Latex-free

Ideal for use in Interventional Cardiology Procedures



Proprietary hypoallergenic formulation for complete protection



Textured external surface for Superior Grip



Multiple Lead Equivalence & thickness options for various Clinical applications



Flexible & Powder free material for comfort & durability



Composed of a Proprietary mixture of Lead-free elements, making them safe for the environment and for users



Easily disposable material for one-time use

## Characteristics

Technical Parameters	Max NXPG35	Thin NXPG25	Ultrathin NXPG20	Cathlab Pro CNXPG20	Latex-free SXPG20		
Finger tip thickness (mm/mils)	Min. 0.35	Min. 0.25	Min. 0.20	Min. 0.20	Min. 0.25		
Palm thickness (mm/mils)	Min. 0.32	Min. 0.24	Min. 0.19	Min. 0.19	Min. 0.24		
Cuff thickness (mm/mils)	Min. 0.30	Min. 0.22	Min. 0.18	Min. 0.18	Min. 0.22		
Lead equivalence (mm Pb)	Min. 0.04	Min. 0.025	Min. 0.02	Min. 0.02	Min. 0.025		
Color	Khaki	Khaki	Khaki	Yellow	Brown		
Material	Natural Latex with hypoallergenic inner coating			Synthetic Latex			
Tensile strength (MPa)	Min 14						
Minimum elongation (%)	700						
Protective material	Mixture of lead-free elements						
Donning agent	Powder free						
Azo dyes	None						
Residual powder	≤ 2mg./glove						
Protein content	Less than 50 micrograms/gram						
Sterilization	Gamma sterilization						
Packing	One sterile pair per pouch						
Storage	Store in cool, dry place away from Ozone (Below 25 °C) 40-50% RH						

## Specifications

Size	Minimum Length (mm/inches)	Palm Width (mm/inches)
6	280/11.0	78/3.1
6.5	280/11.0	80/3.1
7	280/11.0	85/3.3
7.5	280/11.0	94/3.7
8	280/11.0	100/3.9
8.5	280/11.0	107/4.2
9	280/11.0	114/4.5

\*Uncertainty of Measurement: ±4%

## % Attenuation as per ASTM-2547-18

Radiation Beam Energy Level	Skin Dose Reduction			
	Max NXPG35	Thin NXPG25	Ultrathin NXPG20	Cathlab Pro CNXPG20
60 kV	55%	51%	46%	39%
70kV	50%	46%	42%	35%
80 kV	45%	41%	38%	32%
90 kV	41%	38%	34%	29%
100 kV	39%	35%	32%	27%
110kV	36%	34%	30%	25%
120 kV	35%	32%	28%	24%
130kV	33%	30%	27%	22%

## Kiran's World-Class Glove Manufacturing Line





## Light & Comfortable

Ease of Wearing of  
long durations


## Absorbs Lead Glass

Absorbs 99 %  
radiation

## Wide Range of Models

Designed for  
differing application

# EYE PROTECTION





## 1. Nose Pads

Soft nose pads provide comfort to the user during long procedures. It is available with adjustable nose pads and adjustable bridges

## 2. Nose Bridge

Nose bridge keeps the frame evenly balanced

## 3. Temple Grips

Rubber temple grips with different eyewear styles offer non-slip, comfort grip support

## 4. Glass

Contains minimum 0.75mm Pb equivalent leaded glass providing 95 percent attenuation up to 150 kVp

## Front

## Complete Frontal Protection

- Offers a stylish wrap around frame
- This Frame fits best for medium and large style heads.

## Weight

85 g



## Key Benefits

0.75 mm lead Equivalency

Rubberized soft grip

Nose pads for secure fit

## Front &amp; Side

## Protection from frontal as well as Lateral Protection

- Offers large view area and side shield provides additional lateral protection.
- The Frame features a silicone no slip, unifit bridge with adjustable nose pads for increased comfort.
- This Frame fits best for medium to large style heads.



## Specification

Eye Size 51 mm | Nose Bridge Width 20 mm | Temple Length - 140 mm

## Weight

90 g

## Key Benefits

0.75 mm & 0.50 mm lead equivalency lateral protection

Flexible temple bars & acetate frame

Adjustable Nose pads

### Fit Over

#### Fits perfectly over the wearer's existing eyeglasses

- Offers a comfortable, lightweight, and durable design that fits over prescription eyewear
- This Frame fits over almost any style of glasses and head size with comfort



#### Specification

Eye Size 62 mm | Nose Bridge Width 15 mm | Temple Length - 145 mm

#### Weight

85 g

#### Key Benefits

0.75 mm lead Equivalency

Ultimate fit over design  
for weight & comfort

### Max 10

#### Protection & Comfort with padding for the temple & bridge of the nose

- Offers a stylish wrap around frame
- This Frame models fits best for medium and large style heads



#### Specification

Eye Size 64 mm | Nose Bridge Width 16 mm | Temple Length - 140 mm

#### Weight

67 g

#### Key Benefits

0.75 mm lead Equivalency

Rubberized soft grip temple bars  
& nose pads for secure fit

Nose pads for secure fit

### Aviators

#### Wraparound style eyeglasses with protection & stylish design

- A classic Radiation Protection Frame that is solid, sturdy and comfortable
- Its lateral shield protect around the orbit of the eye with 0.35mm lead equivalency



#### Specification

Eye Size 57 mm | Nose Bridge Width 16 mm | Temple Length - 125 mm

#### Weight

70 g

#### Key Benefits

0.75 mm lead Equivalency

Rubberized soft grip temple bars  
& removable nose pads for secure fit

### Max 30

#### Unisex models that's fits all faces & shapes

- Offers a stylish wrap around frame style with a removable foam insert.
- This Frame fits best for small to medium style heads.



#### Specification

Eye Size 55 mm | Nose Bridge Width 20 mm | Temple Length - 140 mm

#### Weight



69 g

#### Key Benefits



0.75 mm lead Equivalency

Rubberized soft grip temple bars  
& nose pads for secure fit

Rubberized foam insert with fog  
reducing ventilation ports.

**Note:**

- Girth of Operator - Consider the highest circumference out of the Chest / Waist / Hips
- Length should be measured from Shoulder to Knee (upto 10 cm below the Knee)

**Note:**


- Girth of Operator - Consider the highest circumference out of the Chest / Waist / Hips
- Length should be measured from Waist to Knee (upto 10 cm below the Knee)

**Double Sided Apron****We have 8 digits in Kiran Code****Step 1****Digit 1 & 2**

Radiation Protection Apparel = X1

**Step 2****Digit 3**

Double Sided Apron = 2

**Step 3****Digit 4**For Double Sided Apron: Optima = 1  
Maxima = 2**Step 4****Digit 5**Ultralite = 1  
Zerolead = 2  
Leadlite = 3  
Zerolead Air\***Step 5****Digit 6**0.25 mm Pb Front / 0.25 mm Pb back = 5  
0.35 mm Pb Front / 0.25 mm Pb back = 6  
0.50 mm Pb Front / 0.25 mm Pb back = 7  
1.00 mm Pb Front / 0.25 mm Pb back = 8

\*Zerolead Air variant is available in select geographies.  
Please get in touch with your Kiran representative for more details.

**Example****Name**

Mr. XYZ

**Department**

XY

**Code**

X1 2 1 3 7 C 2

**Step 6**

(Digit 7)

Size	Width of DSA	
	Girth of Operator	Our Size (Digit 7)
XS	80-85	B
S	86-91	1
M	92-97	C
L	98-107	2
XL	108-113	3
XXL	114-120	E
XXXL	121-127	4

**Step 7**

(Digit 8)

Length of DSA
Our Length (Digit 8)
85 cm = B
90 cm = 1
100 cm = 2
105 cm = D
110 cm = 3
115 cm = E
120 cm = 4




**Vest**

We have 8 digits in Kiran Code

**Step 1****Digit 1 & 2**

Radiation Protection Apparel = X1

**Step 2****Digit 3**

Vest = 4

**Step 3****Digit 4**

For Vest: Optima = 1  
Maxima = 2

**Step 4****Digit 5**

Ultralite = 1  
Zerolead = 2  
Leadlite = 3  
Zerolead Air\*

**Step 5****Digit 6**

0.25 mm Pb Front / 0.25 mm Pb back = 5  
0.35 mm Pb Front / 0.25 mm Pb back = 6  
0.50 mm Pb Front / 0.25 mm Pb back = 7  
1.00 mm Pb Front / 0.25 mm Pb back = 8

\*Zerolead Air variant is available in select geographies.  
Please get in touch with your Kiran representative for more details.

**Name****Department****Code****Step 6**  
(Digit 7)**Step 7**  
(Digit 8)

Size	Width of Vest	
	Girth of Operator	Our Size (Digit 7)
XS	80-85	B
S	86-91	1
M	92-97	C
L	98-107	2
XL	108-113	3
XXL	114-120	E
XXXL	121-127	4

Length of Vest
Our Length (Digit 8)
42 cm = A
50 cm = 1
57 cm = 2
63 cm = 3
68 cm = 4
72 cm = 5
75 cm = F




**Skirt**

We have 8 digits in Kiran Code

**Step 1****Digit 1 & 2**

Radiation Protection Apparel = X1

**Step 2****Digit 3**

Skirt = 3

**Step 3****Digit 4**

For Skirt: Optima = 2  
Maxima = 2

**Step 4****Digit 5**

Ultralite = 1  
Zerolead = 2  
Leadlite = 3  
Zerolead Air\*

**Step 5****Digit 6**

0.25 mm Pb Front / 0.25 mm Pb back = 5  
0.35 mm Pb Front / 0.25 mm Pb back = 6  
0.50 mm Pb Front / 0.25 mm Pb back = 7  
1.00 mm Pb Front / 0.25 mm Pb back = 8

\*Zerolead Air variant is available in select geographies.  
Please get in touch with your Kiran representative for more details.

**Name****Department****Code****Step 6**

(Digit 7)

Size	Width of Skirt	
	Girth of Operator	Our Size (Digit 7)
XS	80-85	G
S	86-91	S
M	92-97	O
L	98-107	R
XL	108-113	3
XXL	114-120	4
XXXL	121-127	N

**Step 7**

(Digit 8)

Our Length (Digit 8)	Length of Skirt	
	48 cm = A	53 cm = 2
57 cm = 3		
62 cm = 4		
65 cm = D		
70 cm = E		
75 cm = F		



**Coat Apron****We have 8 digits in Kiran Code****Step 1****Digit 1 & 2**

Radiation Protection Apparel = X1

**Step 2****Digit 3**

Coat Apron = 1

**Step 3****Digit 4**

For Coat Apron: Basic = 0


Coat Apron with back protection = 1  
 Coat Apron with Front snaplock = 2  
 Coat Apron with back snaplock = 3

**Step 4****Digit 5**

Ultralite = 1  
 Zerolead = 2  
 Leadlite = 3  
 Zerolead Air\*

**Step 5****Digit 6**

0.25 mm Pb Front = 1  
 0.35 mm Pb Front = 2  
 0.50 mm Pb Front = 3  
 1.00 mm Pb Front = 4

**Name****Department****Code****Step 6**

(Digit 7)

Size	Width of Coat Apron	
	Girth of Operator	Our Size (Digit 7)
XS	80-85	B
S	86-91	1
M	92-97	C
L	98-107	2
XL	108-113	3
XXL	114-120	E
XXXL	121-127	4

**Step 7**

(Digit 8)

Our Length (Digit 8)	Length of Coat Apron	
	85 cm = B	90 cm = 1
100 cm = 2		
105 cm = D		
110 cm = 3		
115 cm = E		
120 cm = 4		

\*Zerolead Air variant is available in select geographies.  
 Please get in touch with your Kiran representative for more details.

**On A Global Mission With A Local Heart**

**Speaking your language across 180 countries**



**KIRAN\***  
A Division of **TRIVITRON** Healthcare

[www.kiranxray.com](http://www.kiranxray.com) | [www.trivitron.com](http://www.trivitron.com)

[kiran@kiranxray.com](mailto:kiran@kiranxray.com)

/Trivitronindia

/Trivitronindia

/company/trivitron-healthcare

/TrivitronHealthcare