

speaking your language



NeoNat SCID Real-Time PCR Kit

Semi-quantitative detection of TREC and KREC



BACKGROUND

Severe combined immunodeficiency (SCID) is a group of rare inherited disorders caused by mutations in various genes involved in the development and function of immune cells that fight infection. SCID is characterized by T- and B-cell lymphopenias.

Labsystems Diagnostics NeoNat SCID Screens for SCID by semi-quantitative measurement of *TREC* (T-cell Receptor Excision Circle), *KREC* (Kappa-deleting Recombination Excision Circle), and X-Linked Agammaglobulinemia (XLA) through Real-Time PCR kit in neonatal DNA extracted from dried blood spot (DBS) specimens.

Features

- Direct DNA extraction from DBS samples
- Ready-to-use optimized reaction mix
- Kit includes DBS calibrators and controls
- Suitable for most of the Real-Time PCR devices

Test Design

- NeoNat SCID Real-Time PCR kit is based on 5' nuclease amplification technique
- Detects 3 genes: *TREC, KREC* and β-globin in SCID PCR reaction (β-globin is used as an internal control)

Compatibility

- Compatible with Real-Time PCR instruments with at least three measurement channels
- Developed and validated in Biorad -CFX96 and Thermofisher-Quantstudio 5 & 6

Workflow



Performance

- Simple procedure from punching to data analysis
- 100% clinical sensitivity and specificity
- Quick turn around time of 1.5 hours
- High linearity PCR efficiency



Genes Targeted

Targets	Detection Channels
TREC (T-cell Receptor Excision Circle)	FAM
KREC (Kappa-deleting Recombination Excision Circle)	VIC / HEX
β-Globin (Internal control)	CY5

Assay Result



Limit of Detection

- TREC 4 copies/μl
- KREC 4.9 copies/μl

Ordering Information

Product Code	Format
8100441	96 reactions
8100442	192 reactions
8100443	480 reactions







speaking your language

Labsystems Diagnostics Oy

Tiilitie 3, 01720 Vantaa, Finland

Phone: +358 20 155 7530 Fax: +358 20 155 7521 www.labsystemsdx.com sales@labsystemsdx.com